



# ITT FLYGT ORIGINAL O-RING/INTERMEDIATE SERVICE KITS



Flygt



## O-RING KITS / INTERMEDIATE SERVICE KITS

Quality products deserve genuine spare parts. ITT Flygt pumps and mixers work best with genuine ITT Flygt spare parts. This is particularly true for the O-rings, which are available in complete kits.

These kits are available for the most commonly bought ITT Flygt products.

The advantages of buying them in kits rather than separately are:

- \* Safety - the packs protect the O-rings against damage and drying-out, so that they can be stored longer.
- \* Handling - you have all the O-rings you need for your particular product. The right number and the right dimensions and quality. Already sorted out and ready for use.
- \* Price - O-rings are cheaper in kits than as separate units.

### SPARE PARTS AVAILABILITY

ITT Flygt guarantee that spare parts will be available for 10-20 years from the time a product is taken out of production. For 2000-series drainage pumps, parts are available for 10 years and for other ITT Flygt pumps and mixers, the period is 15 years. For large pumps and turbines ITT Flygt supply spare parts for 20 years.

### SPARE PARTS INFORMATION

We can provide help with information about your ITT Flygt pumps, no matter how old they are. Please get in contact if you are in the process of servicing or overhauling units that were installed 10-20 years ago.



*ITT Flygt original spare parts  
- anything else is money  
down the drain.*

## B-PUMPS

Product	Kit Part No.	Consists of			Remarks
		Part No.	Qty	Dimensions, mm	
2004.210 2008.210 2012.210	82 96 75	82 73 82 82 74 74 82 74 76 82 78 18 82 78 44 83 55 66 83 87 29 561 50 01 561 67 01 561 70 00 598 83 12	1 1 1 1 1 1 1 1 1 1 1	10,3 x 2,4 104,5 x 3,0 114,5 x 3,0 118,0 x 3,0 160,0 x 4,0	Mounting instruction Inspection screw Gasket Plug Sticker
2040.210 2056.210 2102.220	6730400	82 50 46 82 73 82 82 74 20 82 74 92 82 74 93 82 75 00 82 77 95 659 27 00	3 3 1 1 1 1 1 1	12 x 6,1 x 3,8 10,3 x 2,4 139,3 x 5,7 194,3 x 5,7 199,3 x 5,7 269,3 x 5,7 52,5 x 3 132,0 x 1,5	Locking washer       Gasket
2050.011 .012 .131	82 96 74	82 73 83 82 73 96 82 74 07 82 74 17 284 02 00 284 03 00	3 1 1 1 1 1	11,3 x 2,4 34,2 x 3,0 74,2 x 5,7 124,3 x 5,7	Packing Packing
2051.080 .160 <40°C	80 32 51	82 73 76 82 73 82 82 73 96 82 73 99 82 74 00 82 74 63 82 74 71 82 79 01	1 3 1 1 1 1 2 1	4,3 x 2,4 10,3 x 2,4 34,2 x 3,0 42,2 x 3,0 44,2 x 3,0 49,5 x 3,0 89,5 x 3,0 129,77 x 3,53	Only: .160    Only: .160 Only: .080
2052.170 .210	82 96 71	82 73 83 82 73 96 82 74 07 82 74 17 284 02 00 284 03 00 592 73 00	3 1 1 1 1 1 1	11,3 x 2,4 34,2 x 3,0 74,2 x 5,7 124,3 x 5,7	Packing Packing O-ring (Special)
2060.390	80 32 65	82 50 46 82 79 12* 82 73 97 82 74 00 82 74 72 82 74 80 82 74 21 82 78 35 382 42 00	1 2 1 1 2 2 1 1 2	Swedex no 66/84 13,3 x 2,4 36,2 x 3,0 44,2 x 3,0 94,5 x 3,0 134,5 x 3,0 144,3 x 5,7 175,0 x 3,0	Packing

\*Fluorinated rubber

\*\*Hydrated nitrile rubber

## B-PUMPS

Product	Kit Part No.	Consists of			Remarks
		Part No.	Qty	Dimensions, mm	
2066.171 <40°C 2066.210	82 96 72	82 73 83 82 73 99 82 74 19 82 74 21 82 74 86 82 74 92 82 74 95 250 28 00	3 1 1 2 1 1 1 1	11,3 x 2,4 42,2 x 3,0 134,3 x 5,7 144,3 x 5,7 164,3 x 5,7 194,3 x 5,7 219,3 x 5,7	Packing
2070.010 2071.010 <40°C	80 32 66	84 26 57 82 81 09* 82 73 90 82 77 95 82 74 07 82 74 16 82 74 86 82 78 34 82 78 35 343 20 00	2 2 2 1 1 3 1 1 1 1	HIT no 711 10,3 x 2,4 19,2 x 3,0 52,5 x 3,0 74,2 x 5,7 119,3 x 5,7 164,3 x 5,7 170,0 x 3,0 175,0 x 3,0	Seal ring, only: 2070.010 Only: 2071.010 Only: 2071.010  Only: 2070.010 MT Only: 2070.010 Packing
2071.010 >40°C	80 32 67	82 81 09* 82 72 95* 82 79 28* 82 80 84* 82 81 72* 82 81 02* 343 20 00	2 2 1 1 3 1 1	10,3 x 2,4 19,2 x 3,0 52,5 x 3,0 74,2 x 5,7 119,3 x 5,7 164,3 x 5,7	Packing
2075.050 .100 .322 .332 .380 .381	80 32 60	82 50 50 82 73 99 82 74 02 82 74 65 82 74 10 82 74 20 82 74 21 82 74 85 82 74 87 82 74 90 82 74 93 82 74 98 82 74 99	2 1 1 1 1 1 2 1 1 1 1 1 1	DUBO no 105 42,2 x 3,0 49,2 x 5,7 59,5 x 3,0 89,1 x 5,7 139,3 x 5,7 144,3 x 5,7 159,3 x 5,7 169,3 x 5,7 184,3 x 5,7 199,3 x 5,7 249,3 x 5,7 259,3 x 5,7	Only: .380, .381  Only: .050 Only: .380, .381 1 pcs: .050, .380, .381 Only: .100  Only: .050 Not: .050
2075.062 .080 .090 .342 .360 .370	80 32 61	82 50 50 82 73 99 82 74 65 82 74 08 82 74 21 82 74 87 82 74 90 82 74 93 82 74 98	2 1 1 1 2 1 1 1 1	DUBO no 105 42,2 x 3,0 59,5 x 3,0 79,2 x 5,7 144,3 x 5,7 169,3 x 5,7 184,3 x 5,7 199,3 x 5,7 249,3 x 5,7	Not: .360 (1000 V), .370 (1000 V)
2075.323 <40°C .324 <40°C .333 <40°C .334 <40°C .490 .590 .690 .790	80 32 62	82 50 48 82 50 50 82 73 98 82 73 99 82 74 65 82 74 10 82 74 21 82 74 87 82 74 90 82 74 93 82 74 98	4 2 1 1 1 1 2 1 2 1 1 1	DUBO no 103 DUBO no 105 39,2 x 3,0 42,2 x 3,0 59,5 x 3,0 89,1 x 5,7 144,3 x 5,7 169,3 x 5,7 184,3 x 5,7 199,3 x 5,7 249,3 x 5,7	Only: ST  Only: .590, .690, .790  Only: .490, .590, .690, .790 1 pcs: .490, .590, .690, .790  2 pcs: only ST

\*Fluorinated rubber

\*\*Hydrated nitrile rubber

## B-PUMPS

Product	Kit Part No.	Consists of			Remarks
		Part No.	Qty	Dimensions, mm	
2075.323 >40°C .324 >40°C .333 >40°C .334 >40°C .480	80 32 63	82 50 48 82 50 50 82 79 12* 82 81 01* 82 80 90* 82 75 16* 82 81 10* 82 71 33* 82 72 99* 82 71 34* 82 75 20* 82 80 87*	4 2 2 1 1 2 1 1 2 1 1 1	DUBO no 103 DUBO no 105 13,3 x 2,4 42,2 x 3,0 59,5 x 3,0 144,3 x 5,7 169,3 x 5,7 175,0 x 3,0 184,3 x 5,7 192,0 x 4,0 199,3 x 5,7 249,3 x 5,7	Only: ST Not: .480 Not: .480 Only: .480  Only: .324 2 pcs: only ST Only: .324
2083.330 2084.050 .330	80 32 68	82 74 46 82 79 12* 82 73 98 82 77 95 82 74 08 82 74 70 82 74 10 82 74 73 82 74 88 82 78 39 406 39 00	4 3 1 1 1 1 1 1 3 1 1	10,1 x 1,6 13,3 x 2,4 39,2 x 3,0 52,5 x 3,0 79,2 x 5,7 84,5 x 3,0 89,1 x 5,7 99,5 x 3,0 174,3 x 5,7 230,0 x 3,0	2 pcs: .050 Only: FUS-version  Only: 2083.330 Only: 2084.050, .330  Only: 2083.330  Packing
2090.210 2125.220	6730700	82 73 90 82 74 90 82 74 92 82 74 93 82 74 95 82 75 04 82 77 95 661 34 00	3 1 1 1 1 1 1 1	19,2 x 30 184,3 x 5,7 194,3 x 5,7 199,3 x 5,7 219,3 x 5,7 319,3 x 5,7 52,5 x 3,0 180,0 x 1,5	Gasket
2102.040 <40°C .041 <40°C	80 32 53	82 50 46 82 73 82 82 77 95 82 74 20 82 74 92 82 74 93 315 87 00 316 19 00	3 3 1 1 2 1 1 1	Swedex no 66/84 10,3 x 2,4 52,5 x 3,0 139,3 x 5,7 194,3 x 5,7 199,3 x 5,7	U-ring Packing
2102.040 >40°C .041 >40°C	82 96 70	82 50 46 82 81 09* 82 79 28* 82 81 04* 82 75 24* 82 75 20* 315 87 00 316 19 00	3 3 1 1 2 1 1 1	Swedex no 66/84 10,3 x 2,4 52,5 x 3,0 139,3 x 5,7 194,3 x 5,7 199,3 x 5,7	U-ring Packing

\*Fluorinated rubber

\*\*Hydrated nitrile rubber

## B-PUMPS

Product	Kit		Consists of			Remarks
	Part No.	Part No.	Qty	Dimensions, mm		
_2125.051 .180 .181 .320 .690 2140.010	80 32 54	82 73 90 82 79 24* 82 74 02 82 77 95 82 74 64 82 74 90 82 74 92 82 74 93 82 74 95 82 74 99 82 75 04 275 17 00 275 48 00 305 97 02	3 1 1 1 1 1 1 1 1 1 1 1 1 1 1	 32,0 x 5,7 49,2 x 5,7 52,5 x 3,0 54,3 x 3,0 184,3 x 5,7 194,3 x 5,7 199,3 x 5,7 219,3 x 5,7 259,3 x 5,7 319,3 x 5,7	19,2 x 3,0 Only single cable: .180, .181 Only: .051  Only: .320, .690  U-ring (When swivel discharge) Packing (When swivel discharge) Packing (Only for 2140.010)	
2135.320 .590 .690	80 32 69	82 73 73 82 79 12* 82 73 85 82 73 90 82 74 64 82 74 66 82 74 74 82 74 18 82 74 21 82 74 97 82 75 03 82 78 69 406 39 00	3 1 6 2 1 1 1 1 1 2 1 1 1	TREDO no 145 13,2 x 2,4 13,3 x 2,4 19,2 x 3,0 54,5 x 3,0 64,5 x 3,0 104,5 x 3,0 129,3 x 5,7 144,3 x 5,7 239,3 x 5,7 299,3 x 5,7 330,0 x 5,7	2 pcs: .590, .690 Only: .320  Not: .320  Packing	
2151.010 .011 .050	82 96 73	82 73 85 82 73 90 82 74 08 82 74 16 82 74 93 82 74 95 82 75 01 82 75 05 275 17 00 275 48 00 305 97 02	3 3 1 1 1 2 3 1 1 1 1	13,3 x 2,4 19,2 x 3,0 79,2 x 5,7 119,3 x 5,7 199,3 x 5,7 219,3 x 5,7 279,3 x 5,7 339,3 x 5,7	Only: .010 3 pcs: .011, 2 pcs: .050  Only: .011, .050 Only: LT, MT 1 pcs: LT, MT  U-ring (When swivel discharge) Packing (When fixed discharge) Packing	
2201.010 .080 .320 .430 .590 .690	80 32 57	82 73 73 82 72 95* 82 73 90 82 73 93 82 74 02 82 74 08 82 74 10 82 74 73 82 74 82 82 74 91 82 74 92 82 74 95 82 74 99 82 75 03 82 75 08 82 75 12 336 74 00	3 3 2 1 1 1 1 1 1 1 1 1 1 2 2 2 2 6	TREDO No 145 19,2 x 3,0 19,2 x 3,0 26,2 x 3,0 49,2 x 5,7 79,2 x 5,7 89,1 x 5,7 99,5 x 3,0 144,5 x 3,0 189,3 x 5,7 194,3 x 5,7 219,3 x 5,7 259,3 x 5,7 299,3 x 5,7 399,3 x 5,7 479,3 x 5,7 30 x 18 x 3	3 pcs: .010, .320, .430 Baseefa. Others: 2 pcs. 3 pcs: .320, 2 pcs: .590, .690 Only: .430 Only: .430 Baseefa Only: direct on-line-start .320 Only: .080, .430, .590, .690  Not: .010  Only: MT, Not: .080 Only: HT  2 pcs: HT, 1 pcs: ST, .320 <sup>2)</sup> - 690 MT 2 pcs: .010 MT, .320 <sup>1)</sup> MT, 1 pcs: .320 <sup>2)</sup> -690 MT Packing: not .010 MT	

\*Fluorinated rubber

\*\*Hydrated nitrile rubber

1) Vertical discharge 2) Horizontal discharge

## B- PUMPS & C- PUMPS

Product	Kit Part No.	Consists of			Remarks
		Part No.	Qty	Dimensions, mm	
2201.011	80 32 58	82 73 73 82 73 90 82 74 10 82 74 82 82 74 90 82 74 92 82 74 95 82 74 99 82 75 02 82 75 03 82 75 07 82 75 08 82 75 12 336 74 00	3 3 1 1 1 1 1 1 1 1 1 2 2 6	TREDO no 145 19,2 x 3,0 89,1 x 5,7 144,5 x 3,0 184,3 x 5,7 194,3 x 5,7 219,3 x 5,7 259,3 x 5,7 289,3 x 5,7 299,3 x 5,7 379,3 x 5,7 399,3 x 5,7 479,3 x 5,7 30 x 18 x 3	Only: MT Only: HT  Only: LT Only: HT Only: LT, MT Packing: only HT
2201.320 .480	>40°C 80 32 59	82 73 73 82 72 95* 82 80 91* 82 81 55* 82 81 60* 82 80 92* 82 81 63* 82 75 24* 82 75 21* 82 81 06* 82 80 88* 82 80 93* 82 81 52* 336 74 00	3 3 1 1 1 1 1 1 1 1 2 2 2 6	TREDO no 145 19,2 x 3,0 49,2 x 5,7 89,1 x 5,7 99,5 x 3,0 144,5 x 3,0 189,3 x 5,7 194,3 x 5,7 219,3 x 5,7 259,3 x 5,7 299,3 x 5,7 399,3 x 5,7 479,3 x 5,7 30 x 18 x 3	Direct on-line start  Only: .320 MT Only: .320 HT, .480  1 pcs: .320 MT, .320 ST, .480 1 pcs: .320 MT. 2 pcs: .480 Packing: only .320
2250.011	80 32 64	82 76 85 82 73 89 82 73 90 82 73 91 82 74 19 82 74 87 82 78 50 82 78 65 82 75 05 82 78 75 82 75 10 82 78 95	4 12 2 3 1 1 1 2 1 3 1 1	17,0 x 3,0 17,3 x 2,4 19,2 x 3,0 22,2 x 3,0 134,3 x 5,7 169,3 x 5,7 260,0 x 8,0 310,0 x 8,0 339,3 x 5,7 360,0 x 8,0 439,3 x 5,7 580,0 x 8,0	Only: MT  Only: HT
2400.401 .402 .420 .421 .590 .690	80 32 56	82 73 90 82 74 04 82 74 06 82 74 19 82 74 96 82 75 00 82 75 01 82 75 09 82 75 13	5 1 1 1 1 1 2 2 1	19,2 x 3,0 59,2 x 5,7 69,2 x 5,7 134,3 x 5,7 229,3 x 5,7 269,3 x 5,7 279,3 x 5,7 419,3 x 5,7 499,3 x 5,7	Cable entry: .420, .421, .590, .690  Junction box cover: .420, .421, .590, .690  MT: Suction covers
3033.020	82 96 95	82 73 83 82 74 17 82 78 15 82 78 20	1 1 1 1	11,3 x 2,4 124,3 x 5,7 78,0 x 4,0 90,0 x 4,0	

\*Fluorinated rubber

\*\*Hydrated nitrile rubber

## C-PUMPS

Product	Kit Part No.	Consists of			Remarks
		Part No.	Qty	Dimensions, mm	
3041.250 <40°C	82 96 91	82 81 09*	2	10,3 x 2,4	Only: F-version  LS-version: 3 pcs Packing
		82 81 61*	1	14,1 x 1,6	
		82 81 03*	1	49,5 x 3,0	
		82 74 77	3	119,5 x 3,0	
		311 55 00	1		
3045.180	83 10 33	82 79 12*	1	13,3 x 2,4	
		82 74 63	1	49,5 x 3,0	
		82 74 81	1	139,5 x 3,0	
3057.180 <40°C	80 32 76	82 50 60	3	DUBO no 301	Packing  Only: C-version
		82 79 12*	1	13,3 x 2,4	
		82 74 63	1	49,5 x 3,0	
		82 78 26	1	156,0 x 3,0	
3057.180 >40°C .181	80 32 77	82 50 60	3	DUBO no 301	Packing  Only: C-version
		82 79 12*	1	13,3 x 2,4	
		82 81 03*	1	49,5 x 3,0	
		82 71 43*	1	156,0 x 3,0	
3060.390	80 32 72	82 50 46	1	Swedex no 66/84	For inlet elbow  Only: D, MT, VH-version  Only: HT
		82 79 12*	2	13,3 x 2,4	
		82 73 97	1	36,2 x 3,0	
		82 74 00	1	44,2 x 3,0	
		82 75 14*	2	94,5 x 3,0	
		82 72 90*	1	124,3 x 5,7	
		82 74 80	1	134,5 x 3,0	
		82 75 15*	1	134,5 x 3,0	
		82 72 91*	1	139,5 x 3,0	
		82 75 16*	1	144,3 x 5,7	
		82 72 99*	1	184,3 x 5,7	
		82 75 24*	1	194,3 x 5,7	
3065.150 .180	82 96 92	82 73 83	3	11,3 x 2,4	Only: .150 1~ 60 Hz  Only: .150 MT  Packing
		82 73 87	1	15,3 x 2,4	
		82 73 99	1	42,2 x 3,0	
		82 74 02	1	49,2 x 5,7	
		82 74 63	1	49,5 x 3,0	
		82 74 65	1	59,5 x 3,0	
		82 74 83	2	149,3 x 5,7	
		264 85 02	1		
3067.090 .590 .690 .890	80 32 42	82 79 12*	1	13,3 x 2,4	Only: F-version
		82 79 29*	1	53,0 x 4,0	
		82 80 90*	1	59,5 x 3,0	
		82 74 18	1	129,3 x 5,7	
		82 71 43*	1	156,0 x 3,0	
		82 71 42*	1	183,5 x 3,0	
3067.170 .180 <40°C .250 <40°C	80 32 43	82 50 60	3	DUBO no 301	Packing
		82 79 12*	1	13,3 x 2,4	
		82 81 03*	1	49,5 x 3,0	
		82 78 26	1	156,0 x 3,0	
		82 78 41	1	183,5 x 3,0	
3067.170 .180 For F and Compact versions.	80 32 44	82 50 60	3	DUBO no 301	Packing  Only: Compact-versions Only: F-version Only: .170 Compact-version  Only: .180 Compact-version
		82 79 12*	1	13,3 x 2,4	
		82 81 03*	1	49,5 x 3,0	
		82 74 16	1	119,3 x 5,7	
		82 74 18	1	129,3 x 5,7	
		82 74 20	1	139,3 x 5,7	
		82 78 26	1	156,0 x 3,0	
		82 74 88	1	174,3 x 5,7	

\*Fluorinated rubber

\*\*Hydrated nitrile rubber

## C-PUMPS

Product	Kit Part No.	Consists of			Remarks
		Part No.	Qty	Dimensions, mm	
3067.180 >40°C .250 >40°C	80 32 45	82 50 60 82 79 12* 82 81 03* 82 71 43* 82 71 42*	3 1 1 1 1	DUBO no 301 13,3 x 2,4 49,5 x 3,0 156,0 x 3,0 183,5 x 3,0	Packing
3068.170 <40°C	83 10 34	82 50 60 82 79 12* 82 71 43	3 1 2	DUBO no 301 13,3 x 2,4 156,0 x 3,0	
3068.890 >40°C	83 10 35	82 79 12* 82 80 90* 82 71 43*	1 1 2	13,3 x 2,4 59,5 x 3,0 156,0 x 3,0	
3080.210 <40°C .211 <40°C .310 <40°C .311 <40°C .490 <40°C .590 <40°C .690 <40°C .790 <40°C	80 32 46	82 50 50 82 73 98 82 73 99 82 74 65 82 74 10 82 74 21 82 74 87 82 74 90 82 74 93 82 74 98	2 1 1 1 1 2 1 1 1 1	DUBO no 105 39,2 x 3,0 42,2 x 3,0 59,5 x 3,0 89,1 x 5,7 144,3 x 5,7 169,3 x 5,7 184,3 x 5,7 199,3 x 5,7 249,3 x 5,7	Only: .590, .690, .790, N.B. not for .790 MSHA  Only: .490, .590, .690, .790 1 pcs: .490, .590, .690, .790
3080.210 >40°C .211 >40°C .310 >40°C .311 >40°C .480 >40°C	80 32 47	82 50 50 82 79 12* 82 81 01* 82 80 90* 82 75 16* 82 81 10* 82 72 99* 82 75 20* 82 80 87*	2 2 1 1 2 1 1 1 1	DUBO no 105 13,3 x 2,4 42,2 x 3,0 59,5 x 3,0 144,3 x 5,7 169,3 x 5,7 184,3 x 5,7 199,3 x 5,7 249,3 x 5,7	Not: .480 Only: .480
3080.330	80 32 48	82 74 46 82 73 85 82 73 98 82 77 95 82 74 70 82 74 10 82 74 88 82 78 39	4 3 1 1 1 1 3 1	10,1 x 1,6 13,3 x 2,4 39,2 x 3,0 52,5 x 3,0 84,5 x 3,0 89,1 x 5,7 174,3 x 5,7 230,0 x 3,0	Only: FUS-version
3082.090 .180	82 96 93	82 50 65 82 73 93 82 77 88 82 74 74 82 74 17 82 74 21 82 74 83 82 74 93 82 74 95	3 1 1 1 1 1 1 1 1	DUBO no 311 26,2 x 3,0 48,0 x 3,0 104,5 x 3,0 124,3 x 5,7 144,3 x 5,7 149,3 x 5,7 199,3 x 5,7 219,3 x 5,7	2 pcs: .090 Only: .090
3085.091 <40°C .092 <40°C .120 <40°C .171 <40°C .172 <40°C .181 <40°C .182 <40°C .890 <40°C .891 <40°C	80 32 75	82 50 60 82 73 85 82 73 90 82 77 97 82 74 65 82 74 90 82 78 37	3 2 2 1 1 1 1	DUBO no 301 13,3 x 2,4 19,2 x 3,0 53,0 x 4,0 59,3 x 3,0 184,3 x 5,7 200,0 x 3,0	Only: .092, .172, .182, .891 Only: .091, .120, .171, .181, .890 Only: .092, .172, .182, .891  Only: .092, .172, .182, .891 Only: .171, .172, .890, .891

\*Fluorinated rubber

\*\*Hydrated nitrile rubber

## C-PUMPS

Product	Kit		Consists of			Remarks
	Part No.	Part No.	Qty	Dimensions, mm		
3101.090 .180	82 96 90	82 50 65 82 73 90 82 73 93 82 74 05 82 74 74 82 74 19 82 74 85 82 74 87 82 74 93 82 74 95	3 3 1 1 1 1 1 1 1 1	DUBO no 311 19,2 x 3,0 26,2 x 3,0 64,2 x 5,7 104,5 x 3,0 134,3 x 5,7 159,3 x 5,7 169,3 x 5,7 199,3 x 5,7 219,3 x 5,7	.180 pumps until c.812 2 pcs: .090 Only: .090	
3102.090 <40°C .170 <40°C .180 <40°C .890 <40°C  Also for .090/.180 F-versions <40°C	80 32 32	82 50 60 82 73 90 82 74 65 82 78 07 82 74 79 82 78 27 82 74 90 82 74 93 82 74 94 82 74 95	3 2 1 1 1 1 1 1 1 1	DUBO no 301 19,2 x 3,0 59,5 x 3,0 62,5 x 3,0 129,5 x 3,0 174,6 x 6,99 184,3 x 5,7 199,3 x 5,7 209,3 x 5,7 219,3 x 5,7	Only: F-versions Only: .170, .890  Only: F-versions Especially for CT	
3126.090 .091 .180 .181 <40°C	82 96 94	82 73 90 82 73 93 82 80 84* 82 74 74 82 74 85 82 74 92 82 74 94 82 74 97 82 74 98	3 1 1 1 1 1 1 1 1	19,2 x 3,0 26,2 x 3,0 74,2 x 5,7 104,5 x 3,0 159,3 x 5,7 194,3 x 5,7 209,3 x 5,7 239,3 x 5,7 249,3 x 5,7	2 pcs: .090, .091 Only: .090, .091	
3127.090 <40°C .170 <40°C .180 <40°C .890 <40°C  Not for: D, F, ST	80 32 33	82 50 60 82 73 90 82 79 08 82 78 15 82 74 79 82 74 97 82 74 98	3 2 1 1 1 1 1	DUBO no 301 19,2 x 3,0 71,2 x 3,0 78,0 x 4,0 129,5 x 3,0 239,3 x 5,7 249,3 x 5,7	Not for: .170, .890	
3127.090 <40°C .180 <40°C  For: D, F, ST	80 32 74	82 50 60 82 79 05 82 73 90 82 79 08 82 78 15 82 74 79 82 74 29 82 74 97 82 74 38 82 74 98 82 75 01	3 1 2 1 1 1 1 1 1 1 1	DUBO no 301 10,0 x 5,0 19,2 x 3,0 71,2 x 3,0 78,0 x 4,0 129,5 x 3,0 174,1 x 8,4 239,3 x 5,7 249,1 x 8,4 249,3 x 5,7 279,3 x 5,7	Only: F     Only: F  Only: D  Only: ST	

\*Fluorinated rubber

\*\*Hydrated nitrile rubber

## C-PUMPS

Product	Kit		Consists of			Remarks
	Part No.	Part No.	Qty	Dimensions, mm		
3140.090 .180	80 32 49	82 73 90 82 73 93 82 77 30 82 74 12 82 74 93 82 74 98 82 75 03 82 78 65 305 97 02	1 1 2 1 1 1 2 1 1	19,2 x 3,0 26,2 x 3,0 28,17 x 3,53 99,1 x 5,7 199,3 x 5,7 249,3 x 5,7 299,3 x 5,7 310,0 x 8,0	Only: FM-version  1 pcs: D-version Only: D-version Gasket	
3151.180 MT	80 32 34	82 48 36 82 73 57 82 74 07 82 74 83 82 74 95 82 74 97 82 74 98 82 75 04 82 75 05 295 14 00 295 15 00	3 1 1 2 1 2 1 1 1 1 1	TREDO no 14 TREDO no 17 74,2 x 5,7 149,3 x 5,7 219,3 x 5,7 239,3 x 5,7 249,3 x 5,7 319,3 x 5,7 339,3 x 5,7	Packing Packing       Gasket Gasket	
3152.090 <40°C .091 <40°C .120 <40°C .180 <40°C .181 <40°C	80 32 35	82 73 90 82 73 93 82 77 30 82 80 84* 82 74 12 82 74 93 82 74 98 82 75 01 83 75 03 305 97 02 381 74 00	1 1 2 1 1 1 1 2 2 1 2	19,2 x 3,0 26,2 x 3,0 28,17 x 3,53 74,2 x 5,7 99,1 x 5,7 199,3 x 5,7 249,3 x 5,7 279,3 x 5,7 299,3 x 5,7	Not: .090, .091, .120 PTB, Baseefa Only: .090, .091 FM, .120 PTB, Baseefa  Only: .090, .120, .180   Gasket. Not for: .090 Gasket. If external cooling with seal flushing, use 1 pcs 514 65 00	
3153.180 <40°C	84 15 47	82 76 85 82 74 63 82 78 35 82 74 94 82 78 49 82 78 39 82 75 01 82 95 69* 607 48 00	3 1 2 1 1 2 3 1 1	17,0 x 3,0 49,5 x 3,0 175,0 x 3,0 209,3 x 5,7 221,84 x 3,53 230,0 x 3,0 279,3 x 5,7	Spring (stainless steel)	
3153.180 Hot water version	84 15 48	82 79 15* 82 81 03* 82 71 33* 82 80 83* 82 71 70* 82 75 22* 82 95 69 * 607 48 00	3 1 2 3 1 3 1 1	17,0 x 3,0 49,5 x 3,0 175,0 x 3,0 209,3 x 5,7 221,84 x 3,53 279,3 x 5,7	Spring (stainless steel)	

\*Fluorinated rubber

\*\*Hydrated nitrile rubber

## C-PUMPS

Product	Kit		Consists of			Remarks
	Part No.	Part No.	Qty	Dimensions, mm		
3170.180 >40°C	80 32 71	82 72 95* 82 79 22* 82 80 92* 82 75 20* 82 75 22* 82 75 23* 82 79 19* 82 80 93* 82 81 12*	2 1 1 1 2 1 1 1 1	19,2 x 3,0 28,17 x 3,53 144,5 x 3,0 199,3 x 5,7 279,3 x 5,7 339,3 x 5,7 375,0 x 8,4 399,3 x 5,7 419,3 x 5,7		
3170.090 <40°C .180 <40°C 3201.090 <40°C .091 <40°C .120 <40°C .180 <40°C	80 32 79	82 73 90 82 73 93 82 77 30 82 74 02 82 74 65 82 74 82 82 74 93 82 75 01 82 75 05 82 78 80 82 75 08 82 75 09 384 79 00 646 59 00	2 1 1 1 1 1 1 2 1 1 1 1 1 1 1	19,2 x 3,0 26,2 x 3,0 28,17 x 3,53 49,2 x 5,7 59,5 x 3,0 144,5 x 3,0 199,3 x 5,7 279,3 x 5,7 339,3 x 5,7 375,0 x 8,4 399,3 x 5,7 419,3 x 5,7	1 pcs: .090, .091, .120 Ex Only: FM-approved pump and .120 Ex  Only: direct on-line-start Only: 3201  Packing Packing	
3171.090 <40°C .180	82 96 96	82 74 01 82 74 63 82 74 92 82 74 95 82 74 97 82 74 99 82 75 05 82 76 85 82 78 59 82 95 70* 607 48 04	1 1 1 1 1 1 3 3 2 1 1	44,2 x 5,7 49,5 x 3,0 194,3 x 5,7 219,3 x 5,7 239,3 x 5,7 259,3 x 5,7 339,3 x 5,7 17,0 x 3,0 290,0 x 3,0 92,0 x 4,0	Flush valve cover Entrance flange Entrance cover Bearing holder Conversion part Cooling jacket external Pump hous, cooling bottom, cooling jacket Inspection screw Cooling jacket internal. flow cone Cartridge seal Spring	
3171.090 >40°C .180	82 96 97	82 81 93* 82 81 03* 82 75 24* 82 75 21* 82 80 86* 82 81 06* 82 75 23* 82 79 15* 82 78 59 82 95 70* 607 48 04	1 1 1 1 1 1 3 3 2 1 1	44,2 x 5,7 49,5 x 3,0 194,3 x 5,7 219,3 x 5,7 239,3 x 5,7 259,3 x 5,7 339,3 x 5,7 17,0 x 3,0 290,0 x 3,0 92,0 x 4,0	Flush valve cover Entrance flange Entrance cover Bearing holder Conversion part Cooling jacket external Pump hous, cooling bottom, cooling jacket Inspection screw Cooling jacket internal. flow cone Cartridge seal Spring	
3202.180 <40°C	82 96 98	82 76 85 82 74 01 82 74 63 82 81 72* 82 74 98 82 75 00 82 75 04 82 76 66 82 75 08 82 75 03 607 48 01	3 1 1 1 1 1 1 2 3 1 1	17,0 x 3,0 44,2 x 5,7 49,5 x 3,0 119,3 x 5,7 249,3 x 5,7 269,3 x 5,7 319,3 x 5,7 329,79 x 3,53 399,3 x 5,7 299,3 x 5,7	Inspection plug, Cooling jacket Flush valve cover Entrance flange Plug seal Connection housing, Stator housing Entrance cover, Bearing holder Cooling jacket external Adapter Pump housing, Cooling bottom, Cooling jacket Stator housing, Adapter Spring (stainless steel)	

\*Fluorinated rubber

\*\*Hydrated nitrile rubber

Product	Kit Part No.	Consists of			Remarks
		Part No.	Qty	Dimensions, mm	
3202.180 >40°C	82 96 99	82 79 15 82 81 93* 82 81 03 82 8172* 82 81 64* 82 80 87* 82 81 14 82 80 88 82 76 66 82 80 93 607 48 01	3 1 1 1 1 1 1 1 2 3 1	17,0 x 3,0 44,2 x 5,7 49,5 x 3,0 119,3 x 5,7 221,84 x 3,53 249,3 x 5,7 269,3 x 5,7 299,3 x 5,7 329,79 x 3,53 399,3 x 5,7	Inspection plug, Cooling jacket Flush Valve cover Entrance flange Mechanical seal Cooling jacket external Connection housing, Stator housing Stator housing, Bearing holder Stator housing, Adapter Adapter Pump housing, Seal housing cover, Cooling jacket Spring (stainless steel)
3300.090 .091 .180 .181	80 32 41	82 73 90 82 73 91 82 73 93 82 79 24* 82 74 05 82 74 07 82 74 12 82 74 82 82 75 00 83 75 02 82 75 06 82 75 10 82 78 88 82 75 12 646 59 00	3 2 1 1 1 1 1 1 1 1 1 2 1 3 1	19,2 x 3,0 22,2 x 3,0 26,3 x 3,0 32,0 x 5,7 64,2 x 5,7 74,2 x 5,7 99,1 x 5,7 144,5 x 3,0 269,3 x 5,7 289,3 x 5,7 359,3 x 5,7 439,3 x 5,7 460,0 x 8,0 479,3 x 5,7	2 pcs: .090, .091, .181  Only: .090 No aux. cable: .090, .180 Only direct on-line-start: .090, .180 Not: .090, From year 1989: .091, .180, .181 Only: HT (curve 46x)  2 pcs: HT  3 pcs: LT, MT Packing

\*Fluorinated rubber

\*\*Hydrated nitrile rubber

## MIXERS

Product	Kit		Consists of			Remarks
	Part No.	Part No.	Qty	Dimensions, mm		
4351.010	80 32 80	82 81 09* 82 81 03* 82 79 29* 82 81 59*	2 1 1 2	10,3 x 2,4 49,5 x 3,0 53,0 x 4,0 119,5 x 3,0		
4400.010	82 97 15	82 81 78* 82 79 12* 82 79 29* 82 79 34*	1 2 1 1	13,1 x 1,6 13,3 x 2,4 53,0 x 4,0 200,0 x 3,0	CLS/CLS-plug	
4410.011	82 97 16	82 81 78* 82 73 90 82 77 96 82 74 66 82 78 37 82 75 00 84 35 33 396 41 00	1 5 1 2 1 1 1 1	13,1 x 1,6 19,2 x 3,0 57,5 x 3,0 64,5 x 3,0 200,0 x 3,0 269,3 x 5,7 17 x 35 x 22	CLS/CLS-plug  Seal sleeve Seal ring: additional collar for seal 384 03 04	
4430.010	82 97 17	82 81 78* 82 73 90 82 77 96 82 74 66 82 74 79 82 74 93 82 75 00 84 35 33 396 41 00	1 5 1 2 1 1 1 1 1	13,1 x 1,6 19,2 x 3,0 57,5 x 3,0 64,5 x 3,0 129,5 x 3,0 199,3 x 5,7 269,3 x 5,7 17 x 35 x 22	CLS/CLS-plug  Seal sleeve Seal ring: additional collar for seal 384 03 04	
4440.010 >40°C	80 32 86	82 72 95* 82 71 72* 82 79 18* 82 80 98* 82 74 19 82 80 86*	2 1 1 1 1 1	19,2 x 3,0 71,2 x 3,0 78,0 x 4,0 129,5 x 3,0 134,3 x 5,7 239,3 x 5,7	Only: flushed hub set	
4440.010 <40°C .090 <40°C .110 <40°C .190 <40°C	80 32 87	82 73 90 82 79 08 82 78 15 82 74 79 82 74 19 82 74 97	2 1 1 1 1 1	19,2 x 3,0 71,2 x 3,0 78,0 x 4,0 129,5 x 3,0 134,3 x 5,7 239,3 x 5,7	Only: flushed hub set	
4451.010 <40°C .090 <40°C	80 32 84	82 73 90 82 72 96* 82 80 90* 82 81 75* 82 79 08 82 81 76* 82 74 16 82 74 79 82 74 97 82 74 99	5 1 1 1 1 1 1 1 1 1	19,2 x 3,0 29,2 x 3,0 59,5 x 3,0 69,5 x 3,0 71,2 x 3,0 79,5 x 3,0 119,3 x 5,7 129,5 x 3,0 239,3 x 5,7 259,3 x 5,7	SS 3-blade propeller 3-blade propeller  2-blade propeller	
4501.010 <40°C .010 PP <40°C	82 97 18	82 73 90 82 73 97 82 79 08 82 80 95* 82 74 85 82 72 99* 82 74 98 82 78 69	5 1 1 1 2 1 1 1	19,2 x 3,0 36,2 x 3,0 71,2 x 3,0 89,5 x 3,0 159,3 x 5,7 184,3 x 5,7 249,3 x 5,7 330,0 x 5,7	Mixer: SS-propeller, PP: all propellers Mixer: SS-propeller, PP: all propellers  Only: seal flushing	

\*Fluorinated rubber

\*\*Hydrated nitrile rubber

# MIXERS

Product	Kit		Consists of			Remarks
	Part No.	Part No.	Qty	Dimensions, mm		
4610.410 4620.410 Carbon steel version	80 32 97	82 73 85 82 73 97 82 77 88 82 74 64 82 74 75 82 74 77 607 48 02 640 84 00* 643 16 00*	4 1 1 1 1 3 1 10 1	13,3 x 2,4 36,2 x 3,0 48,0 x 3,0 54,5 x 3,0 109,5 x 3,0 119,5 x 3,0  ∅ 6,2	Stator housing unit      Spring (Stainless steel) Seal ring Gasket	
4610.410 4620.410 Stainless steel version	80 32 98	82 79 12* 82 81 00* 82 95 59* 82 75 19* 82 81 67* 82 81 59* 607 48 02 640 84 00* 643 16 00*	4 1 1 1 1 3 1 10 1	13,3 x 2,4 36,2 x 3,0 48,0 x 3,0 54,5 x 3,0 109,5 x 3,0 119,5 x 3,0  ∅ 6,2	Stator housing unit      Spring (Stainless steel) Seal ring Gasket	
4630.410 4640.410 Carbon steel version	80 32 88	82 74 39 82 76 73 82 73 85 82 73 99 82 74 00 82 74 00 82 74 70 82 74 74 82 78 19 82 78 34 82 78 42 80 16 51 583 32 01**	1 10 2 1 1 1 1 1 1 2 2 1 10	3,1 x 1,6 7,7 x 1,8 13,3 x 2,4 42,2 x 3,0 44,2 x 3,0 44,2 x 3,0 84,5 x 3,0 104,5 x 3,0 123,0 x 3,0 170,0 x 3,0 184,5 x 3,0 35 x 41 ∅ 8,1	From c. 991  Only until c. 978      Packing, until c. 988 Seal ring	
4630.410 4640.410 Stainless steel version	80 32 89	82 74 39 82 95 56* 82 79 12* 82 81 01* 82 80 97* 82 74 00 82 74 70 82 80 82* 82 95 60* 82 95 54* 82 95 61* 82 97 45* 583 32 00*	1 10 2 1 1 1 1 1 1 2 2 1 10	3,1 x 1,6 7,7 x 1,8 13,3 x 2,4 42,2 x 3,0 44,2 x 3,0 44,2 x 3,0 84,5 x 3,0 104,5 x 3,0 123,0 x 3,0 170,0 x 3,0 184,5 x 3,0 35 x 41 ∅ 8,1	From c. 991  Only until c. 978      Packing, until c. 988 Seal ring	
4630.410 4640.410 Proacid version	80 32 90	82 74 39 80 93 50** 80 80 40** 82 81 01* 80 80 55** 82 74 00 82 74 70 80 81 30** 82 95 60* 80 95 54* 80 93 81** 82 97 45* 583 32 01**	1 10 2 1 1 1 1 1 1 2 2 1 10	3,1 x 1,6 7,7 x 1,8 13,3 x 2,4 42,2 x 3,0 44,2 x 3,0 44,2 x 3,0 84,5 x 3,0 104,5 x 3,0 123,0 x 3,0 170,0 x 3,0 183,5 x 3,0 35 x 41 ∅ 8,1	From c. 991  Only until c. 978      Packing, until c. 988 Seal ring	

\*Fluorinated rubber

\*\*Hydrated nitrile rubber

## MIXERS

Product	Kit	Consists of			Remarks
	Part No.	Part No.	Qty	Dimensions, mm	
4650.410 4660.410 Carbon steel version	80 32 91	82 74 40 82 73 81 82 73 90 82 74 65 82 74 68 82 74 18 82 74 21 82 74 90 82 74 96 82 74 97 82 78 48 80 16 52 583 32 03**	1 10 2 2 1 1 1 1 1 1 1 2 1 10	4,1 x 1,6 9,3 x 2,4 19,2 x 3,0 59,5 x 3,0 74,5 x 3,0 129,3 x 5,7 144,3 x 5,7 184,3 x 5,7 229,3 x 5,7 239,3 x 5,7 255,0 x 5,7 52 x 60 ø 10,1	Only until c. 978  Packing, until c. 988 Seal ring
4650.410 4660.410 Stainless steel version	80 32 92	82 74 40 82 81 81* 82 72 95* 82 80 90* 82 74 68 82 74 18 82 75 16* 82 72 99* 82 81 82* 82 80 86* 82 95 55* 82 97 50* 583 32 02*	1 10 2 2 1 1 1 1 1 1 2 1 10	4,1 x 1,6 9,3 x 2,4 19,2 x 3,0 59,5 x 3,0 74,5 x 3,0 129,3 x 5,7 144,3 x 5,7 184,3 x 5,7 229,3 x 5,7 239,3 x 5,7 255,0 x 5,7 52 x 60 ø 10,1	Only until c. 978  Packing, until c. 988 Seal ring
4650.410 4660.410 Proacid version	80 32 93	82 74 40 80 80 36** 80 80 45** 82 80 90* 80 81 21** 82 74 68 82 74 18 80 80 76** 82 72 99* 82 81 82* 82 80 86* 80 93 85** 84 89 19** 583 32 03**	1 10 2 1 1 1 1 1 1 1 1 2 1 10	4,1 x 1,6 9,3 x 2,4 19,2 x 3,0 59,5 x 3,0 59,5 x 3,0 74,5 x 3,0 129,3 x 5,7 144,3 x 5,7 184,3 x 5,7 229,3 x 5,7 239,3 x 5,7 255,0 x 5,7 52 x 60 ø 10,1	From c. 991  Only until c. 978  Packing, until c. 988 Seal ring
4670.410 4680.410 Carbon steel version	80 32 94	82 74 40 82 73 81 82 73 90 82 74 65 82 74 69 82 74 77 82 74 85 82 74 89 82 75 01 82 78 69 82 75 06 80 16 52 583 32 03**	1 12 2 1 1 1 1 1 1 2 2 1 12	4,1 x 1,6 9,2 x 2,4 19,2 x 3,0 59,5 x 3,0 79,5 x 3,0 119,5 x 3,0 159,3 x 5,7 179,3 x 5,7 279,3 x 5,7 330,0 x 5,7 359,3 x 5,7 52 x 60 ø 10,1	From c. 991  Only until c. 978  Packing, until c. 988 Seal ring

\*Fluorinated rubber

\*\*Hydrated nitrile rubber

## MIXERS

Product	Kit	Consists of			Remarks
	Part No.	Part No.	Qty	Dimensions, mm	
4670.410 4680.410 Stainless steel version	80 32 95	82 74 40 82 81 81* 82 72 95* 82 80 90* 82 81 76* 82 74 77 82 74 85 82 81 71* 82 75 22* 82 71 39* 82 81 53* 82 97 50* 583 32 02*	1 12 2 1 1 1 1 1 1 2 2 1 12	4,1 x 1,6 9,2 x 2,4 19,2 x 3,0 59,5 x 3,0 79,5 x 3,0 119,5 x 3,0 159,3 x 5,7 179,3 x 5,7 279,3 x 5,7 330,0 x 5,7 359,3 x 5,7 52 x 60 ø 10,1	From c. 991  Only until c. 978         Packing Seal ring
4670.410 4680.410 Proacid version	80 32 96	82 74 40 80 80 36** 80 80 45** 82 80 90* 80 81 25** 82 74 77 82 74 85 80 81 45** 82 75 22* 82 71 39* 80 81 62** 84 89 19** 583 32 03**	1 12 2 1 1 1 1 1 1 2 2 1 12	4,1 x 1,6 9,2 x 2,4 19,2 x 3,0 59,3 x 3,0 79,5 x 3,0 119,5 x 3,0 159,3 x 5,7 179,3 x 5,7 279,3 x 5,7 330,3 x 5,7 359,3 x 5,7 52 x 60 ø 10,1	From c. 991  Only until c. 978         Packing Seal ring

\*Fluorinated rubber

\*\*Hydrated nitrile rubber

## BIG & BLUE

Product	Kit		Consists of			Remarks
	Part No.	Part No.	Qty	Dimensions, mm		
C 3231 C 3306 C 3356	83 05 64	82 74 74 82 81 72* 82 75 12 82 75 08	1 1 1 1	99,1 x 5,7 119,3 x 5,7 479,3 x 5,7 399,3 x 5,7	Only: CT/CZ 3306	
R 3231	83 05 65	82 74 06 82 75 12	1 1	69,2 x 5,7 479,3 x 5,7		
L 3356	83 05 66	82 73 90 82 74 72 82 74 21 82 75 05 82 75 13	2 1 1 1 1	19,2 x 3,0 94,5 x 3,0 144,3 x 5,7 339,3 x 5,7 499,3 x 5,7		
C 3312	83 05 67	82 77 14 82 74 14 82 81 72* 82 75 13 82 78 92 82 78 97	1 1 1 1 1 2	24,2 x 5,7 109,1 x 5,7 119,3 x 5,7 499,3 x 5,7 529,3 x 5,7 594,0 x 5,7	Only: Drive unit 7x5 Only: Drive unit 7x5	
C 3501 C 3531 C 3602 D unit 7x5 D unit 8x5 D unit 9x5 ø 90 shaft end	83 05 68	82 77 14 82 74 14 82 74 16 82 74 19 82 75 13 82 78 97 82 78 99	1 1 1 1 1 1 2	24,2 x 5,7 109,1 x 5,7 119,3 x 5,7 134,3 x 5,7 499,3 x 5,7 594,0 x 5,7 725,0 x 5,7	Only: Drive unit 7x5 Only: Drive unit 7x5 Only: Drive unit 7x5 Only: Drive unit 8x5	
C 3531 C 3602 D unit 9x5 ø 110 shaft end	83 05 69	82 77 14 82 74 16 82 74 19 82 78 99	1 1 1 2	24,2 x 5,7 119,3 x 5,7 134,3 x 5,7 725,0 x 5,7		
C 3800	83 05 70	82 77 14 82 74 19 82 74 91 82 78 99 82 76 65	1 1 1 1 1	24,2 x 5,7 134,3 x 5,7 189,3 x 5,7 725,0 x 5,7 890,0 x 5,7		
L 3531/ D u 7x5 L 3602/ D u 7x5 L 3531/ D u 8x5 L 3602/ D u 8x5 L 3531/ D u 9x5 L 3602/ D u 9x5 ø 90 shaft end	83 05 71	82 77 14 82 77 30 82 74 14 82 74 96 82 75 05 82 75 10 82 75 13 82 78 99	1 2 1 1 1 1 1 1	24,2 x 5,7 28,17 x 3,53 109,1 x 5,7 229,3 x 5,7 339,3 x 5,7 439,3 x 5,7 499,3 x 5,7 725,0 x 5,7	Drive unit 7x5 Drive unit 8x5 Drive unit 9x5	
L 3602 D unit 9x5 ø 110 shaft end	83 05 72	82 77 14 82 77 30 82 74 16 82 75 13 82 78 99	1 2 1 1 1	24,2 x 5,7 28,17 x 3,53 119,3 x 5,7 499,3 x 5,7 725,0 x 5,7		
C 3351	83 05 73	82 77 14 82 74 16 82 81 72* 82 78 99	1 1 1 2	24,2 x 5,7 119,3 x 5,7 119,3 x 5,7 725,0 x 5,7		

\*Fluorinated rubber

\*\*Hydrated nitrile rubber

## BIG & BLUE

Product	Kit		Consists of		Remarks
	Part No.	Part No.	Qty	Dimensions, mm	
C 3400 D unit 7x5	83 05 74	82 77 14 82 74 14 82 74 19 82 75 13 82 78 97	1 1 1 1 1	24,2 x 5,7 109,1 x 5,7 134,3 x 5,7 499,3 x 5,7 594,0 x 5,7	
C 3400 D unit 8x5	83 05 75	82 77 14 82 74 14 82 74 19 82 78 97	1 1 1 2	24,2 x 5,7 109,1 x 5,7 134,3 x 5,7 594,0 x 5,7	
L 3400 D unit 7x5	83 05 76	82 73 90 82 77 14 82 74 14 82 74 93 82 75 05	2 1 1 1 1	19,2 x 3,0 24,2 x 5,7 109,1 x 5,7 199,3 x 5,7 339,3 x 5,7	
L 3400 D unit 8x5	83 05 77	82 73 90 82 77 14 82 74 14 82 74 93 82 75 10	2 1 1 1 1	19,2 x 3,0 24,2 x 5,7 109,1 x 5,7 199,3 x 5,7 439,3 x 5,7	
7045 7055/D unit 600	83 05 78	82 73 90 82 74 65 82 75 05 384 79 00	2 1 1 1	19,2 x 3,0 59,5 x 3,0 339,3 x 5,7	Packing
7055/D unit 680 7075 7076	83 05 79	82 73 90 82 74 09 82 74 10 82 74 73 82 75 05	2 1 1 1 1	19,2 x 3,0 84,1 x 5,7 89,1 x 5,7 99,5 x 3,0 339,3 x 5,7	Only: 7055, 7075  Only: 7055, 7075
7115	83 05 80	82 77 30 82 74 20 82 75 13	2 1 1	28,17 x 3,53 139,3 x 5,7 499,3 x 5,7	
7061	83 05 81	82 73 83 82 73 90 82 74 07 82 74 21 82 75 05	1 2 1 1 1	11,3 x 2,4 19,2 x 3,0 74,2 x 5,7 144,3 x 5,7 339,3 x 5,7	
7081 7101/ D unit 7x5	83 05 82	82 50 65 82 73 90 82 74 72 82 74 21 82 74 93 82 75 05	1 2 1 1 1 1	DUBO no 311 19,2 x 3,0 94,5 x 3,0 144,3 x 5,7 199,3 x 5,7 339,3 x 5,7	
7101/D unit 8x5 7121/D unit 8x5	83 05 83	82 73 90 82 77 14 82 74 78 82 74 93 82 75 10	2 1 1 1 1	19,2 x 3,0 24,2 x 5,7 124,5 x 3,0 199,3 x 5,7 439,3 x 5,7	
7121/ D unit 9x5	83 05 84	82 73 90 82 77 14 82 74 80 82 75 13	2 1 1 1	19,2 x 3,0 24,2 x 5,7 134,5 x 3,0 499,3 x 5,7	

\*Fluorinated rubber

\*\*Hydrated nitrile rubber

## BIG & BLUE

Product	Kit		Consists of		Remarks
	Part No.	Part No.	Qty	Dimensions, mm	
7x5 P, L, E	83 05 85	82 73 30	1	SKF fs 460	Seal strip  Option only
		82 73 92	6	24,2 x 3,0	
		82 73 93	1	26,2 x 3,0	
		82 74 02	1	49,2 x 5,7	
		82 74 63	1	49,5 x 3,0	
		82 74 06	2	69,2 x 5,7	
		82 74 67	2	69,5 x 3,0	
		82 74 07	1	74,2 x 5,7	
		82 74 10	1	89,1 x 5,7	
		82 78 24	1	154,5 x 3,0	
		82 74 94	1	209,3 x 5,7	
		82 81 82*	1	229,3 x 5,7	
		82 75 03	1	299,3 x 5,7	
		82 75 05	2	339,3 x 5,7	
82 75 09	1	419,3 x 5,7			
7x5 C	83 05 86	82 73 30	1	SKF fs 460	Seal strip  Option only
		82 73 91	2	22,2 x 3,0	
		82 73 92	6	24,2 x 3,0	
		82 73 93	1	26,2 x 3,0	
		82 77 30	2	28,17 x 3,53	
		82 74 02	1	49,2 x 5,7	
		82 74 63	1	49,5 x 3,0	
		82 74 06	2	69,2 x 5,7	
		82 74 67	2	69,5 x 3,0	
		82 74 07	1	74,2 x 5,7	
		82 74 10	1	89,1 x 5,7	
		82 74 21	1	144,3 x 5,7	
		82 78 24	1	154,5 x 3,0	
		82 74 85	2	159,3 x 5,7	
		82 74 94	1	209,3 x 5,7	
		82 81 82*	1	229,3 x 5,7	
		82 75 03	1	299,3 x 5,7	
		82 75 05	2	339,3 x 5,7	
82 75 09	1	419,3 x 5,7			
82 78 87	1	461,0 x 8,4			
8x5 P, L, E	83 05 87	82 73 30	1	SKF fs 460	Seal strip  Option only
		82 73 92	6	24,2 x 3,0	
		82 73 93	1	26,2 x 3,0	
		82 74 02	1	49,2 x 5,7	
		82 74 63	1	49,5 x 3,0	
		82 74 06	3	69,2 x 5,7	
		82 74 67	3	69,5 x 3,0	
		82 74 10	4	89,1 x 5,7	
		82 74 94	2	209,3 x 5,7	
		82 81 82*	1	229,3 x 5,7	
		82 75 03	1	299,3 x 5,7	
		82 75 10	1	439,3 x 5,7	
		82 78 92	1	529,3 x 5,7	

\*Fluorinated rubber

\*\*Hydrated nitrile rubber

# BIG & BLUE

Product	Kit Part No.	Consists of			Remarks
		Part No.	Qty	Dimensions, mm	
8x5 C	83 05 88	82 73 30	1	SKF fs 460	Seal strip
		82 73 91	2	22,2 x 3,0	
		82 73 92	6	24,2 x 3,0	Option only
		82 73 93	1	26,2 x 3,0	
		82 77 30	2	28,17 x 3,53	
		82 74 02	1	49,2 x 5,7	
		82 74 63	1	49,5 x 3,0	
		82 74 06	3	69,2 x 5,7	
		82 74 67	3	69,5 x 3,0	
		82 74 10	4	89,1 x 5,7	
		82 74 92	1	194,3 x 5,7	
		82 74 93	2	199,3 x 5,7	
		82 74 94	2	209,3 x 5,7	
		82 81 82*	1	229,3 x 5,7	
		82 75 03	1	299,3 x 5,7	
		82 75 10	2	439,3 x 5,7	
82 78 92	1	529,3 x 5,7			
82 78 86	1	588,0 x 8,4			
9x5 P, L, E	83 05 89	82 73 30	1	SKF fs 460	Seal strip
		82 73 92	6	24,2 x 3,0	
		82 73 93	1	26,2 x 3,0	Option only
		82 74 02	1	49,2 x 5,7	
		82 74 63	1	49,5 x 3,0	
		82 74 06	3	69,2 x 5,7	
		82 74 67	3	69,5 x 3,0	
		82 74 10	3	89,1 x 5,7	
		82 74 12	2	99,1 x 5,7	
		82 74 94	2	209,3 x 5,7	
		82 81 82*	1	229,3 x 5,7	
		82 75 03	1	299,3 x 5,7	
		82 75 13	1	499,3 x 5,7	
		82 78 98	1	665,4 x 6,0	
9x5 C	83 05 90	82 73 30	1	SKF fs 460	Seal strip
		82 73 91	2	22,2 x 3,0	
		82 73 92	6	24,2 x 3,0	Option only
		82 73 93	1	26,2 x 3,0	
		82 77 30	2	28,17 x 3,53	
		82 74 02	1	49,2 x 5,7	
		82 74 63	1	49,5 x 3,0	
		82 74 06	3	69,2 x 5,7	
		82 74 67	3	69,5 x 3,0	
		82 74 10	3	89,1 x 5,7	
		82 74 12	2	99,1 x 5,7	
		82 74 93	2	199,3 x 5,7	
		82 74 94	2	209,3 x 5,7	
		82 81 82*	1	229,3 x 5,7	
		82 75 03	1	299,3 x 5,7	
		82 75 13	2	499,3 x 5,7	
82 78 98	1	665,4 x 6,0			
82 78 89	1	680,0 x 8,4			
600	83 05 91	82 73 90	1	19,2 x 3,0	Single motorcable only
		82 74 02	1	49,2 x 5,7	
		82 74 82	1	144,5 x 3,0	
		82 74 93	1	199,3 x 5,7	
		82 75 01	2	279,3 x 5,7	

\*Fluorinated rubber

\*\*Hydrated nitrile rubber

## BIG & BLUE

Product	Kit Part No.	Consists of			Remarks
		Part No.	Qty	Dimensions, mm	
680	83 05 92	82 74 05	1	64,2 x 5,7	Single motorcable only
		82 74 07	1	74,2 x 5,7	
		82 74 13	1	104,1 x 5,7	
		82 74 82	1	144,5 x 3,0	
		82 75 00	1	269,3 x 5,7	
		82 75 01	1	279,3 x 5,7	
		82 75 06	1	359,3 x 5,7	
6x5 P, L		83 05 93 82 73 93	1	26,2 x 3,0	Option only
		82 74 63	2	49,5 x 3,0	
		82 74 67	2	69,5 x 3,0	
		82 75 01	1	279,3 x 5,7	
		82 75 03	1	299,3 x 5,7	
		82 75 04	1	319,3 x 5,7	
		82 75 05	1	339,3 x 5,7	
6x5 C	83 05 94	83 73 90	2	19,2 x 3,0	Option only
		82 73 91	2	22,2 x 3,0	
		82 73 93	1	26,2 x 3,0	
		82 74 13	2	104,1 x 5,7	
		82 74 63	2	49,5 x 3,0	
		82 74 67	2	69,5 x 3,0	
		82 75 01	1	279,3 x 5,7	
		82 75 03	1	299,3 x 5,7	
		82 75 04	2	319,3 x 5,7	
		82 75 05	1	339,3 x 5,7	
		82 75 16*	1	144,3 x 5,7	
		82 78 85	2	419,1 x 8,4	

\*Fluorinated rubber

\*\*Hydrated nitrile rubber

## O-RING KITS FOR INSPECTION

Product	Kit	Consists of			Remarks
	Part No.	Part No.	Qty	Dimensions, mm	
Drive unit 7x5	613 56 00	82 73 90	5	19,2 x 3,0	
		82 73 91	2	22,2 x 3,0	
		82 77 30	5	28,17 x 3,53	
		82 74 07	3	74,2 x 5,7	
		82 74 85	2	159,3 x 5,7	
		82 74 94	1	209,3 x 5,7	
		82 75 03	1	299,3 x 5,7	
Drive unit 8x5	613 56 01	82 73 90	5	19,2 x 3,0	
		82 73 91	2	22,2 x 3,0	
		82 77 30	5	28,17 x 3,53	
		82 74 10	3	89,1 x 5,7	
		82 74 93	2	199,3 x 5,7	
		82 74 94	1	209,3 x 5,7	
		82 75 03	1	299,3 x 5,7	
Drive unit 9x5	613 56 02	82 73 90	5	19,2 x 3,0	
		82 73 91	2	22,2 x 3,0	
		82 77 30	5	28,17 x 3,53	
		82 74 12	3	99,1 x 5,7	
		82 74 93	2	199,3 x 5,7	
		82 74 94	1	209,3 x 5,7	
		82 75 03	1	299,3 x 5,7	
Gear box	613 56 03	82 79 25*	4	43,0 x 5,0	
		82 74 12	3	99,1 x 5,7	
		82 78 98	2	665,4 x 6,0	
Drive unit 6x5	613 56 04	82 73 90	5	19,2 x 3,0	
		82 73 91	2	22,2 x 3,0	
		82 74 63	3	49,5 x 3,0	
		82 74 13	2	104,1 x 5,7	
		82 75 03	1	299,3 x 5,7	
7900	613 56 05	82 73 90	5	19,2 x 3,0	
		82 73 98	1	39,2 x 3,0	
7900	613 56 06	82 73 90	6	19,2 x 3,0	
		82 74 14	1	109,1 x 5,7	
		82 74 92	1	194,3 x 5,7	
		82 74 96	1	229,3 x 5,7	
		82 75 03	2	299,3 x 5,7	
		82 75 10	1	439,3 x 5,7	
		82 78 74	1	355,19 x 3,53	
7900	613 56 07	82 72 85	1		Seal ring
		82 74 01	1	44,2 x 5,7	
		82 74 63	1	49,5 x 3,0	

\*Fluorinated rubber

\*\*Hydrated nitrile rubber

## NOTES

A series of horizontal dotted lines for writing notes.

